



SENSOHEAT RADIATORS UK

Web: www.hurlstonesnorthern.supplies

Linear Radiators

Contemporary High Quality Horizontal
& Vertical Designer Radiators



Linear Radiators

High Quality Horizontal & Vertical Contemporary Designer Radiators will add a stunning focal point that also delivers on heat output make them the perfect choice for any modern living room or office.

Benefits

- ◆ Linear Horizontal is in 600mm height with a range of 13 widths and double tubed giving extra heat outputs.
- ◆ Linear Vertical is in 1500mm, 1800mm and 2000mm heights and a range of 3 widths in both Single and Double tubing.
- ◆ Perfect for New Builds or refurbishments
- ◆ 5 Year guarantee, against failure due to material or manufacture defect.
- ◆ Available in RAL 9016 White, prices also available on request for Black, Charcoal Grey and Chrome.

SensoHeat Service & Commitment

At SensoHeat we are proud of our top quality products and are committed to provide the best quality of service to our customers from our highly trained dedicated team.



Outputs

The outputs quote in this brochure are based on mean water temperature of 80°C and a room temperature of 20°C (Delta T 60°C) or a mean water temperature of 70°C and a room temperature of 20°C (Delta T 50°C) .

For other operating conditions apply the corrections factors below (apply to Delta T 60°C only)

5°C	0.046	30°C	0.432	55°C	0.898
10°C	0.108	35°C	0.512	60°C	1.000
15°C	0.179	40°C	0.605	65°C	1.104
20°C	0.256	45°C	0.700	70°C	1.211
25°C	0.338	50°C	0.798	75°C	1.319

Linear Horizontal Technical Information

			LD = Double Panel / Double Convector		
Height MM/INCH	Width MM / INCH		SensoHeat Code	Output $\Delta T50^{\circ}\text{C}$	Output $\Delta T60^{\circ}\text{C}$
600 / 24"	321	/ 12.6"	LND632	547	686
	427	/ 16.8"	LND642	730	914
	533	/ 20.9"	LND653	912	1143
	639	/ 25.1"	LND663	1094	1371
	745	/ 29.3"	LND674	1277	1600
	851	/ 33.5"	LND685	1459	1829
	957	/ 37.6"	LND695	1642	2057
	1063	/ 41.8"	LND610	1824	2286
	1222	/ 48.1"	LND612	2098	2629
	1434	/ 56.5"	LND614	2463	3086
	1646	/ 64.8"	LND616	2827	3543
	1858	/ 73.1"	LND618	3192	4000
2017	/ 79.4"	LND620	3465	4342	

MS
Material


6
Working Pressure

95°C
Working Temp.


C
Closed System

H
Mount Pos.


5 YEARS
Warranty



LND Side View



LND Front View




LND Top View


Linear Vertical Technical Information

		VLNS = Single Panel / Single Convector			VLND = Double Panel / Double Convector		
Height MM/INCH	Width MM / INCH	SensoHeat Code	Output $\Delta T50^{\circ}\text{C}$	Output $\Delta T60^{\circ}\text{C}$	SensoHeat Code	Output $\Delta T50^{\circ}\text{C}$	Output $\Delta T60^{\circ}\text{C}$
1500 / 59"	268 / 10.5"	VLNS215	570	714	-	-	-
	374 / 14.7"	VLNS315	798	1000	VLND315	1596	2000
	480 / 18.9"	VLNS415	1026	1286	-	-	-
1800 / 71"	268 / 10.5"	VLNS218	684	857	VLND218	1368	1714
	374 / 14.7"	VLNS318	958	1200	VLND318	1915	2400
	480 / 18.9"	VLNS418	1231	1543	VLND418	2462	3086
	586 / 23"	-	-	-	VLND518	3010	3772
2000 / 79"	268 / 10.5"	-	-	-	VLND220	1520	1905
	480 / 18.9"	-	-	-	VLND420	2736	3429


- MS**
Material
- 6**
Working Pressure
- 95°C**
Working Temp.
- C**
Closed System
- V**
Mount Pos.
- 5 YEARS**
Warranty





VLNS Side View




VLNS Front View




VLND Side View



VLND Front View



VLNS Top View



VLND Top View